

MBSS Important Farmland Table

Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
1	Occum fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	100
2	Suncook loamy sand, occasionally flooded	Not prime farmland	63.5
4	Pootatuck fine sandy loam, occasionally flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	85
5	Rippowam fine sandy loam, frequently flooded	Not prime farmland	81
6	Saco mucky silt loam, frequently flooded	Not prime farmland	0
12A	Hinckley gravelly fine sandy loam, 0 to 3 percent slopes	Farmland of local importance	63.5
12B	Hinckley gravelly fine sandy loam, 3 to 8 percent slopes	Farmland of local importance	62
12C	Hinckley gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of local importance	46
12E	Hinckley gravelly fine sandy loam, 15 to 60 percent slopes	Not prime farmland	0
15	Searsport muck	Not prime farmland	0
22A	Colton loamy fine sand, 0 to 3 percent slopes	Farmland of local importance	60
22B	Colton loamy fine sand, 3 to 8 percent slopes	Farmland of local importance	58.5
22C	Colton loamy fine sand, 8 to 15 percent slopes	Farmland of local importance	42.5
22E	Colton loamy fine sand, 15 to 60 percent slopes	Not prime farmland	0
24A	Agawam very fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	100
24B	Agawam very fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	97.5
26A	Windsor loamy fine sand, 0 to 3 percent slopes	Farmland of local importance	63.5
26B	Windsor loamy fine sand, 3 to 8 percent slopes	Farmland of local importance	62
26C	Windsor loamy fine sand, 8 to 15 percent slopes	Farmland of local importance	46
26E	Windsor loamy fine sand, 15 to 60 percent slopes	Not prime farmland	0
27A	Groveton very fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	96.5
27B	Groveton very fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	94
27C	Groveton very fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	71
27D	Groveton very fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	43.5
28A	Madawaska fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	85.5
29B	Woodbridge fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	71.5
35A	Champlain loamy fine sand, 0 to 3 percent slopes	Farmland of local importance	60
35B	Champlain loamy fine sand, 3 to 8 percent slopes	Farmland of local importance	58.5
35C	Champlain loamy fine sand, 8 to 15 percent slopes	Farmland of local importance	42.5
35E	Champlain loamy fine sand, 15 to 60 percent slopes	Not prime farmland	0
36A	Adams loamy sand, 0 to 3 percent slopes	Farmland of local importance	60
36B	Adams loamy sand, 3 to 8 percent slopes	Farmland of local importance	58.5
36C	Adams loamy sand, 8 to 15 percent slopes	Farmland of local importance	42.5
36E	Adams loamy sand, 15 to 60 percent slopes	Not prime farmland	0
42B	Canton fine sandy loam, 3 to 8 percent slopes	Farmland of statewide importance	93

MBSS Important Farmland Table
Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
43B	Canton fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	77
43C	Canton fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	61
43D	Canton fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
43E	Canton fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
44B	Montauk fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	93
44C	Montauk fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	77
45B	Montauk fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	77
45C	Montauk fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	61
45D	Montauk fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
45E	Montauk fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
46B	Henniker fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5
46C	Henniker fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5
46D	Henniker fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5
47B	Henniker fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
47C	Henniker fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
47D	Henniker fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
47E	Henniker fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
49	Whitman muck, very stony	Not prime farmland	0
55B	Hermon fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	37
55C	Hermon fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	23
55D	Hermon fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	19.5
55E	Hermon fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
56B	Becket fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5
56C	Becket fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5
56D	Becket fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5
57B	Becket fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
57C	Becket fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
57D	Becket fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5

MBSS Important Farmland Table
Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
57E	Becket fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
66B	Paxton fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	93
66C	Paxton fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	77
66D	Paxton fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5
67B	Paxton fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	77
67C	Paxton fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	61
67D	Paxton fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
67E	Paxton fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
73B	Berkshire fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
73C	Berkshire fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
73D	Berkshire fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
76B	Marlow fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5
76C	Marlow fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5
76D	Marlow fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5
77B	Marlow fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
77C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
77D	Marlow fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
77E	Marlow fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
97	Greenwood and Ossipee soils, ponded	Not prime farmland	0
100	Udorthents, wet substratum	Not prime farmland	0
101	Ondawa fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	96.5
102	Sunday loamy sand, occasionally flooded	Not prime farmland	60
104	Podunk fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	81.5
105	Rumney fine sandy loam, frequently flooded	Not prime farmland	77.5
111B	Gloucester sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	40.5
111C	Gloucester sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	24.5
115	Scarboro muck	Not prime farmland	0
125	Scarboro muck, very stony	Not prime farmland	0
129B	Woodbridge fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	55

MBSS Important Farmland Table
Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
129C	Woodbridge fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	39
141B	Hollis-Rock outcrop-Chatfield complex, 3 to 8 percent slopes	Not prime farmland	0
141C	Hollis-Rock outcrop-Chatfield complex, 8 to 15 percent slopes	Not prime farmland	0
141D	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes	Not prime farmland	0
141E	Hollis-Rock outcrop-Chatfield complex, 35 to 60 percent slopes	Not prime farmland	0
142B	Monadnock gravelly fine sandy loam, 3 to 8 percent slopes	Farmland of statewide importance	89.5
142C	Monadnock gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5
143B	Monadnock gravelly fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
143C	Monadnock gravelly fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
143D	Monadnock gravelly fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
143E	Monadnock gravelly fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
161C	Lyman-Tunbridge-Rock outcrop complex, 8 to 15 percent slopes	Not prime farmland	0
161D	Lyman-Tunbridge-Rock outcrop complex, 15 to 35 percent slopes	Not prime farmland	0
161E	Lyman-Tunbridge-Rock outcrop complex, 35 to 60 percent slopes	Not prime farmland	0
162B	Canaan-Berkshire fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	50
162C	Canaan-Berkshire fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	35
162D	Canaan-Berkshire fine sandy loam, 15 to 35 percent slopes, very stony	Not prime farmland	24.5
166B	Marlow variant fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5
166C	Marlow variant fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5
166D	Marlow variant fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5
167B	Marlow variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
167C	Marlow variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
167D	Marlow variant fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
167E	Marlow variant fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
169B	Sunapee fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5

MBSS Important Farmland Table

Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
169C	Sunapee fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5
180B	Windsor-Hollis complex, 3 to 8 percent slopes	Farmland of local importance	54
180C	Windsor-Hollis complex, 8 to 15 percent slopes	Farmland of local importance	38
180D	Windsor-Hollis complex, 15 to 35 percent slopes	Not prime farmland	26
190B	Adams-Lyman complex, 3 to 8 percent slopes	Farmland of local importance	50.5
190C	Adams-Lyman complex, 8 to 15 percent slopes	Farmland of local importance	35
190D	Adams-Lyman complex, 15 to 35 percent slopes	Not prime farmland	22.5
190E	Adams-Lyman complex, 35 to 60 percent slopes	Not prime farmland	0
200	Udorthents, refuse substratum	Not prime farmland	0
201	Ondawa fine sandy loam, occasionally flooded	All areas are prime farmland	96.5
214A	Naumburg sand, 0 to 5 percent slopes	Not prime farmland	58
220A	Boscawen fine sandy loam, 0 to 3 percent slopes	Farmland of local importance	60
220B	Boscawen fine sandy loam, 3 to 8 percent slopes	Farmland of local importance	58.5
220C	Boscawen fine sandy loam, 8 to 15 percent slopes	Farmland of local importance	42.5
220E	Boscawen fine sandy loam, 15 to 60 percent slopes	Not prime farmland	0
226B	Bice fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
226C	Bice fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
226D	Bice fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
245B	Hermon Variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	37
245C	Hermon Variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	23
245D	Hermon Variant fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	19.5
250B	Chatfield-Hollis-Montauk complex, 3 to 8 percent slopes, very stony	Farmland of local importance	51.5
250C	Chatfield-Hollis-Montauk complex, 8 to 15 percent slopes, very stony	Farmland of local importance	38
250D	Chatfield-Hollis-Montauk complex, 15 to 35 percent slopes, very stony	Not prime farmland	26.5
250E	Chatfield-Hollis-Montauk complex, 35 to 60 percent slopes, very stony	Not prime farmland	0
269B	Sunapee Variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5
269C	Sunapee Variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5
290B	Champlain-Woodstock complex, 3 to 8 percent slopes	Farmland of local importance	50.5
290C	Champlain-Woodstock complex, 8 to 15 percent slopes	Farmland of local importance	35
290D	Champlain-Woodstock complex, 15 to 35 percent slopes	Not prime farmland	22.5
290E	Champlain-Woodstock complex, 35 to 60 percent slopes	Not prime farmland	0
295	Greenwood mucky peat	Not prime farmland	0
299	Udorthents, smoothed	Not prime farmland	0

MBSS Important Farmland Table
Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
313	Deerfield fine sandy loam, 0 to 5 percent slopes	Farmland of statewide importance	69.5
314A	Pipestone sand, 0 to 5 percent slopes	Not prime farmland	61.5
333B	Roundabout very fine sandy loam, 0 to 5 percent slopes	Not prime farmland	63.5
347A	Lyme and Moosilauke soils, 0 to 3 percent slopes, very stony	Not prime farmland	34.5
347B	Lyme and Moosilauke soils, 3 to 8 percent slopes, very stony	Not prime farmland	32
378A	Dixfield fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	69
378B	Dixfield fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	67.5
378C	Dixfield fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	51.5
379A	Dixfield fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	53
379B	Dixfield fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	51.5
379C	Dixfield fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	35.5
380B	Tunbridge-Lyman-Becket complex, 3 to 8 percent slopes, very stony	Farmland of local importance	46.5
380C	Tunbridge-Lyman-Becket complex, 8 to 15 percent slopes, very stony	Farmland of local importance	34.5
380D	Tunbridge-Lyman-Becket complex, 15 to 25 percent slopes, very stony	Farmland of local importance	22
380E	Tunbridge-Lyman-Becket complex, 25 to 60 percent slopes, very stony	Not prime farmland	0
395	Chocorua mucky peat	Not prime farmland	0
398	Quarries	Not prime farmland	0
399	Rock outcrop	Not prime farmland	0
400	Udorthents, sandy	Not prime farmland	0
401	Occum fine sandy loam, occasionally flooded	All areas are prime farmland	100
406	Medomak mucky silt loam, frequently flooded	Not prime farmland	0
442B	Monadnock Variant gravelly fine sandy loam, 3 to 8 percent slopes	Farmland of statewide importance	89.5
442C	Monadnock Variant gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5
443B	Monadnock Variant gravelly fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5
443C	Monadnock Variant gravelly fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5
443D	Monadnock Variant gravelly fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5
443E	Monadnock Variant gravelly fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0
446B	Scituate-Newfields complex, 3 to 8 percent slopes	All areas are prime farmland	78
447B	Scituate-Newfields complex, 3 to 8 percent slopes, very stony	Farmland of local importance	62
447C	Scituate-Newfields complex, 8 to 15 percent slopes, very stony	Farmland of local importance	46
458B	Metacomet fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	74.5

MBSS Important Farmland Table
Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
458C	Metacomet fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	58.5
459A	Metacomet fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	60
459B	Metacomet fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5
459C	Metacomet fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5
459D	Metacomet fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	25
461C	Woodstock-Millsite-Rock outcrop complex, 8 to 15 percent slopes	Not prime farmland	0
461D	Woodstock-Millsite-Rock outcrop complex, 15 to 35 percent slopes	Not prime farmland	0
461E	Woodstock-Millsite-Rock outcrop complex, 35 to 60 percent slopes	Not prime farmland	0
478A	Dixfield Variant fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	69
478B	Dixfield Variant fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	67.5
478C	Dixfield Variant fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	51.5
479A	Dixfield Variant fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	53
479B	Dixfield Variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	51.5
479C	Dixfield Variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	35.5
480B	Millsite-Woodstock-Henniker complex, 3 to 8 percent slopes, very stony	Farmland of local importance	46.5
480C	Millsite-Woodstock-Henniker complex, 8 to 15 percent slopes, very stony	Farmland of local importance	34.5
480D	Millsite-Woodstock-Henniker complex, 15 to 25 percent slopes, very stony	Not prime farmland	22
480E	Millsite-Woodstock-Henniker complex, 25 to 60 percent slopes, very stony	Not prime farmland	0
495	Ossipee mucky peat	Not prime farmland	0
498	Urban land-Pootatuck complex, 0 to 3 percent slopes, protected	Not prime farmland	0
500	Udorthents, loamy	Not prime farmland	0
513A	Ninigret fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	89
513B	Ninigret fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	86.5
532B	Belgrade very fine sandy loam, 0 to 5 percent slopes	All areas are prime farmland	85
532C	Belgrade very fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	67.5
533	Raynham silt loam	Not prime farmland	67
538A	Squamscott fine sandy loam, 0 to 5 percent slopes	Not prime farmland	67
547A	Walpole very fine sandy loam, 0 to 3 percent slopes, very stony	Not prime farmland	23

MBSS Important Farmland Table
Advance Copy - Subject to Change

musym	muname	farmclass	nhspiagr
547B	Walpole very fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	21.5
549	Peacham muck, very stony	Not prime farmland	0
558B	Skerry fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	74.5
558C	Skerry fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	58.5
559A	Skerry fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	60
559B	Skerry fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5
559C	Skerry fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5
559D	Skerry fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	25
598	Windsor-Urban land complex, 0 to 8 percent slopes	Not prime farmland	0
613	Croghan fine sandy loam, 0 to 5 percent slopes	Farmland of statewide importance	66
647A	Pillsbury fine sandy loam, 0 to 3 percent slopes, very stony	Not prime farmland	42
647B	Pillsbury fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	40.5
657A	Ridgebury fine sandy loam, 0 to 3 percent slopes, very stony	Not prime farmland	45.5
657B	Ridgebury fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	44
680	Henniker-Urban land complex, 0 to 15 percent slopes	Not prime farmland	0
689	Adams-Urban land complex, 0 to 8 percent slopes	Not prime farmland	0
690	Monadnock-Urban land complex, 0 to 15 percent slopes	Not prime farmland	0
699	Urban land	Not prime farmland	0
789	Champlain-Urban land complex, 0 to 8 percent slopes	Not prime farmland	0
799	Urban land-Canton complex, 0 to 15 percent slopes	Not prime farmland	0
W	Water	Not prime farmland	0